

Keep up with the latest information from *Diabetes Care* and other ADA titles via Facebook ([f/ADAJournals](https://www.facebook.com/ADAJournals)) and Twitter ([@ADA_Journals](https://twitter.com/ADA_Journals)).

All articles in *Diabetes Care* are available online at care.diabetesjournals.org. Cover articles (▶) and ADA Statements are available free of charge. Each cover article is accompanied by a complementary slide set that includes a summary of the article's key points and conclusions as well as associated tables and figures. Other articles are available free to print subscribers or can be purchased as e-prints or reprints.

In This Issue

3377

Commentary

3379 The challenging chase for nutrigenetic predictors of metabolic responses to dietary interventions

M.A. Sarzynski, C. Bouchard

Clinical Care/Education/Nutrition/Psychosocial Research

3382 Disturbed eating behavior and omission of insulin in adolescents receiving intensified insulin treatment: a nationwide population-based study

L. Wisting, D.H. Frøisland, T. Skrivarhaug, K. Dahl-Jørgensen, Ø. Rø

3388 Benchmarking is associated with improved quality of care in type 2 diabetes: the OPTIMISE randomized, controlled trial

M.P. Hermans, M. Elisaf, G. Michel, E. Muls, F. Nobels, H. Vandenberghe, C. Brotons, for the OPTIMISE (Optimal Type 2 diabetes Management Including benchmarking and Standard treatment) International Steering Committee

3396 Empagliflozin as add-on to metformin plus sulfonyleurea in patients with type 2 diabetes: a 24-week, randomized, double-blind, placebo-controlled trial

H.-U. Häring, L. Merker, E. Seewaldt-Becker, M. Weimer, T. Meinicke, H.J. Woerle, U.C. Broedl, on behalf of the EMPA-REG METSU Trial Investigators

3405 NSE, a potential biomarker, is closely connected to diabetic peripheral neuropathy

J. Li, H. Zhang, M. Xie, L. Yan, J. Chen, H. Wang

3411 Clinical inertia in people with type 2 diabetes: a retrospective cohort study of more than 80,000 people

K. Khunti, M.L. Wolden, B.L. Thorsted, M. Andersen, M.J. Davies

3418 Cellular and humoral immune responses in type 1 diabetic patients participating in a phase III GAD-alum intervention trial

S. Axelsson, M. Chéramy, L. Åkerman, M. Pihl, J. Ludvigsson, R. Casas

3425 New-onset diabetes in elderly subjects: association between HbA_{1c} levels, mortality, and coronary revascularization

O. Twito, E. Ahron, A. Jaffe, S. Afek, E. Cohen, M. Granek-Catarivas, P. Klein, D. Hermoni

▶ **3430** Safety and efficacy of sitagliptin therapy for the inpatient management of general medicine and surgery patients with type 2 diabetes: a pilot, randomized, controlled study

G.E. Umpierrez, R. Gianchandani, D. Smiley, S. Jacobs, D.H. Wesorick, C. Newton, F. Farrokhi, L. Peng, D. Reyes, S. Lathkar-Pradhan, F. Pasquel

3436 Needle-free jet injection of rapid-acting insulin improves early postprandial glucose control in patients with diabetes

E.E.C. Engwerda, C.J. Tack, B.E. de Galan

▶ **3442** *IRS1* genotype modulates metabolic syndrome reversion in response to 2-year weight-loss diet intervention: the POUNDS LOST trial

Q. Qi, M. Xu, H. Wu, L. Liang, C.M. Champagne, G.A. Bray, F.M. Sacks, L. Qi

3448 Effect of moderate-intensity exercise versus activities of daily living on 24-hour blood glucose homeostasis in male patients with type 2 diabetes

J.-W. van Dijk, M. Venema, W. van Mechelen, C.D.A. Stehouwer, F. Hartgens, L.J.C. van Loon

3454 Residual β -cell function 3–6 years after onset of type 1 diabetes reduces risk of severe hypoglycemia in children and adolescents

J.S. Sorensen, J. Johannesen, F. Pociot, K. Kristensen, J. Thomsen, N.T. Hertel, P. Kjaersgaard, C. Brorsson, N.H. Birkebaek, the Danish Society for Diabetes in Childhood and Adolescence

3460 Linagliptin lowers albuminuria on top of recommended standard treatment in patients with type 2 diabetes and renal dysfunction

P.-H. Groop, M.E. Cooper, V. Perkovic, A. Emser, H.-J. Woerle, M. von Eynatten

3469 ST-segment elevation myocardial infarction in women with type 2 diabetes

E. Radomska, M. Sadowski, J. Kurzawski, M. Gierlotka, L. Poloński

3476 Prandial insulin dosing using the carbohydrate counting technique in hospitalized patients with type 2 diabetes

K.M. Dungan, C. Sagrilla, M. Abdel-Rasoul, K. Osei

3483 Minimal functional β -cell mass in intraportal implants that reduces glycemic variability in type 1 diabetic recipients

P. Gillard, R. Hilbrands, U. Van de Velde, Z. Ling, D.H. Lee, I. Weets, F. Gorus, C. De Block, L. Kaufman, C. Mathieu, D. Pipeleers, B. Keymeulen

3489 Diabetic nephropathy and microalbuminuria in pregnant women with type 1 and type 2 diabetes: prevalence, antihypertensive strategy, and pregnancy outcome

J.A. Damm, B. Ásbjörnsdóttir, N.F. Callesen, J.M. Mathiesen, L. Ringholm, B.W. Pedersen, E.R. Mathiesen

3495 Novel soy germ pasta enriched in isoflavones ameliorates gastroparesis in type 2 diabetes: a pilot study

K.D.R. Setchell, E. Nardi, P.-M. Battezzati, S. Ascitti, D. Castellani, G. Perriello, C. Clerici

Epidemiology/Health Services Research

3498 Risk of a recurrent cardiovascular event in individuals with type 2 diabetes or intermediate hyperglycemia: the Hoorn Study

A.A.W.A. van der Heijden, E. van't Riet, S.D.M. Bot, S.C. Cannegieter, C.D.A. Stehouwer, C.A. Baan, J.M. Dekker, G. Nijpels

3503 Oxidative stress and response in relation to coronary artery disease in type 1 diabetes

T. Costacou, R.W. Evans, G.L. Schafer, T.J. Orchard

3510 Impact of specific glucose-control strategies on microvascular and macrovascular outcomes in 58,000 adults with type 2 diabetes

R. Neugebauer, B. Fireman, J.A. Roy, P.J. O'Connor

3517 Cancer incidence among those initiating insulin therapy with glargine versus human NPH insulin

T. Stürmer, M.A. Marquis, H. Zhou, J.B. Meigs, S. Lim, L. Blonde, E. MacDonald, R. Wang, L.M. LaVange, V. Pate, J.B. Buse

3526 Age at menarche and type 2 diabetes risk: the EPIC-InterAct study
C.E. Elks, K.K. Ong, R.A. Scott, Y.T. van der Schouw, J.S. Brand, P.A. Wark, P. Amiano, B. Balkau, A. Barricarte, H. Boeing, A. Fonseca-Nunes, P.W. Franks, S. Grioni, J. Halljaer, R. Kaaks, T.J. Key, K.T. Khaw, A. Mattiello, P.M. Nilsson, K. Overvad, D. Palli, J.R. Quirós, S. Rinaldi, O. Rolandsson, I. Romieu, C. Sacerdote, M.-J. Sánchez, A.M.W. Spijkerman, A. Tjonneland, M.-J. Tormo, R. Tumino, D.L. van der A, N.G. Forouhi, S.J. Sharp, C. Langenberg, E. Riboli, N.J. Wareham, the InterAct Consortium

3535 HbA_{1c} and risk of severe hypoglycemia in type 2 diabetes: the Diabetes and Aging Study
K.J. Lipska, E.M. Warton, E.S. Huang, H.H. Moffet, S.E. Inzucchi, H.M. Krumholz, A.J. Karter

3543 Disproportionate body composition and neonatal outcome in offspring of mothers with and without gestational diabetes mellitus
M. Persson, H. Fadl, U. Hanson, D. Pasupathy

3549 Risk of metabolic syndrome and diabetes among young twins and singletons in Guinea-Bissau
M. Bjerregaard-Andersen, L. Hansen, L.I. da Silva, L.C. Joaquim, D.E. Hennild, L. Christiansen, P. Aaby, C.S. Benn, K. Christensen, M. Sodemann, D.M. Jensen, H. Beck-Nielsen

3557 Association between sleep duration and diabetes in black and white adults
C.L. Jackson, S. Redline, I. Kawachi, F.B. Hu

3566 A prediction model for adverse outcome in hospitalized patients with diabetes
K. Nirantharakumar, K. Hemming, P. Narendran, T. Marshall, J.J. Coleman

3573 Differences in the management of type 1 diabetes among adults under excellent control compared with those under poor control in the T1D Exchange clinic registry
J.H. Simmons, V. Chen, K.M. Miller, J.B. McGill, R.M. Bergenstal, R.S. Goland, D.M. Harlan, J.F. Largay, E.M. Massaro, R.W. Beck, for the T1D Exchange Clinic Network

3578 Methylmercury exposure and incident diabetes in U.S. men and women in two prospective cohorts
D. Mozaffarian, P. Shi, J.S. Morris, P. Grandjean, D.S. Siscovick, D. Spiegelman, F.B. Hu

3585 Hypoglycemia associated with hospitalization and adverse events in older people: population-based cohort study
S.R. Majumdar, B.R. Hemmelgarn, M. Lin, K. McBrien, B.J. Manns, M. Tonelli

3591 HbA_{1c} and lower-extremity amputation risk in low-income patients with diabetes
W. Zhao, P.T. Katzmarzyk, R. Horswell, Y. Wang, J. Johnson, S.B. Heymsfield, W.T. Cefalu, D.H. Ryan, G. Hu

3599 Short leg length, a marker of early childhood deprivation, is associated with metabolic disorders underlying type 2 diabetes: the PROMISE cohort study
L.W. Johnston, S.B. Harris, R. Retnakaran, H.C. Gerstein, B. Zinman, J. Hamilton, A.J. Hanley

Emerging Technologies and Therapeutics

3607 Prediction of diabetes based on baseline metabolic characteristics in individuals at high risk
R.A. DeFronzo, D. Tripathy, D.C. Schwenke, M. Banerji, G.A. Bray, T.A. Buchanan, S.C. Clement, R.R. Henry, A.E. Kitabchi, S. Mudaliar, R.E. Ratner, F.B. Stentz, N. Musi, P.D. Reaven, A. Gastaldelli, for the ACT NOW Study

3613 Use of an insulin bolus advisor improves glycemic control in multiple daily insulin injection (MDI) therapy patients with suboptimal glycemic control: first results from the ABACUS trial
R. Ziegler, D.A. Cavan, I. Cranston, K. Barnard, J. Ryder, C. Vogel, C.G. Parkin, W. Koehler, I. Vesper, B. Petersen, M.A. Schweitzer, R.S. Wagner

Pathophysiology/Complications

► **3620** Renal structure in normoalbuminuric and albuminuric patients with type 2 diabetes and impaired renal function
E.I. Ekinci, G. Jerums, A. Skene, P. Crammer, D. Power, K.Y. Cheong, S. Panagiotopoulos, K. McNeil, S.T. Baker, P. Fioretto, R.J. MacIsaac

3627 Plasma lipopolysaccharide is closely associated with glycemic control and abdominal obesity: evidence from bariatric surgery
M. Trøseid, T.K. Nestvold, K. Rudi, H. Thoresen, E.W. Nielsen, K.T. Lappegård

3633 Albuminuria according to status of autoimmunity and insulin sensitivity among youth with type 1 and type 2 diabetes
A.K. Mottl, A. Lauer, D. Dabelea, D.M. Maahs, R.B. D'Agostino Jr., L.M. Dolan, L.K. Gilliam, J.M. Lawrence, B. Rodriguez, S.M. Marcovina, G. Imperatore, R. Kanakatti Shankar, M. Afkarian, K. Reynolds, A.D. Liese, M. Mauer, E.J. Mayer-Davis, for the SEARCH for Diabetes in Youth Study Group

3639 Plasma copeptin and renal outcomes in patients with type 2 diabetes and albuminuria
G. Velho, N. Bouby, S. Hadjadj, N. Matallah, K. Mohammedi, F. Fumeron, L. Potier, N. Bellili-Munoz, C. Taveau, F. Alhenc-Gelas, L. Bankir, M. Marre, R. Roussel

3646 Corneal nerve loss detected with corneal confocal microscopy is symmetrical and related to the severity of diabetic polyneuropathy
I.N. Petropoulos, U. Alam, H. Fadavi, O. Asghar, P. Green, G. Ponirakis, A. Marshall, A.J.M. Boulton, M. Tavakoli, R.A. Malik

3652 Alterations to bone mineral composition as an early indication of osteomyelitis in the diabetic foot
K.A. Esmonde-White, F.W.L. Esmonde-White, C.M. Holmes, M.D. Morris, B.J. Roessler

3655 Long-term outcomes of Japanese type 2 diabetic patients with biopsy-proven diabetic nephropathy
M. Shimizu, K. Furuichi, T. Toyama, S. Kitajima, A. Hara, K. Kitagawa, Y. Iwata, N. Sakai, T. Takamura, M. Yoshimura, H. Yokoyama, S. Kaneko, T. Wada, the Kanazawa Study Group for Renal Diseases and Hypertension

3663 Association of subclinical inflammation with polyneuropathy in the older population: KORA F4 study
C. Herder, B.W.C. Bongaerts, W. Rathmann, M. Heier, B. Kowall, W. Koenig, B. Thorand, M. Roden, C. Meisinger, D. Ziegler

3671 The role of angiogenic and antiangiogenic factors in the second trimester in the prediction of preeclampsia in pregnant women with type 1 diabetes
V.A. Holmes, I.S. Young, C.C. Patterson, M.J.A. Maresh, D.W.M. Pearson, J.D. Walker, D.R. McCance, for the Diabetes and Preeclampsia Intervention Trial (DAPIT) Study Group

3678 Early diabetic nephropathy: a complication of reduced insulin sensitivity in type 1 diabetes
P. Bjornstad, J.K. Snell-Bergeon, M. Rewers, D. Jalal, M.B. Chonchol, R.J. Johnson, D.M. Maahs

3684 Conduction slowing in diabetic sensorimotor polyneuropathy
S.K. Dunnigan, H. Ebadi, A. Breiner, H.D. Katzberg, L.E. Lovblom, B.A. Perkins, V. Bril

3691 Impact of glucose tolerance status, sex, and body size on glucose absorption patterns during OGTTs
K. Færch, G. Pacini, J.J. Nolan, T. Hansen, A. Tura, D. Vistisen

3698 Diabetic autonomic neuropathy affects symptom generation and brain-gut axis
C. Brock, E. Søfteland, V. Gunterberg, J.B. Frøkjær, D. Lelic, B. Brock, G. Dimcevski, H. Gregersen, M. Simrén, A.M. Drewes

3706 SIRS is valid in discriminating between severe and moderate diabetic foot infections

D.K. Wukich, K.B. Hobizal, K.M. Raspovic, B.L. Rosario

3712 Small- and large-fiber neuropathy after 40 years of type 1 diabetes: associations with glycemic control and advanced protein glycation: the Oslo Study

K.A. Sveen, B. Karimé, E. Jørum, S.I. Mellgren, M.W. Fagerland, V.M. Monnier, K. Dahl-Jørgensen, K.F. Hanssen

3718 Obstructive sleep apnea and diabetic nephropathy: a cohort study

A.A. Tahrani, A. Ali, N.T. Raymond, S. Begum, K. Dubb, Q.-A. Altaf, M.K. Piya, A.H. Barnett, M.J. Stevens

3726 Endocrine secretory reserve and proinsulin processing in recipients of islet of Langerhans versus whole pancreas transplants

N.M. Elkhafif, S. Borot, P. Morel, S. Demuylder-Mischler, L. Giovannoni, C. Toso, D. Bosco, T. Berney

3732 Glycerol and fatty acids in serum predict the development of hyperglycemia and type 2 diabetes in Finnish men

Y. Mahendran, H. Cederberg, J. Vangipurapu, A.J. Kangas, P. Soininen, J. Kuusisto, M. Uusitupa, M. Ala-Korpela, M. Laakso

Cardiovascular and Metabolic Risk

3739 Temporal relationship between insulin sensitivity and the pubertal decline in physical activity in peripubertal Hispanic and African American females

D. Spruijt-Metz, B.R. Belcher, Y.-W. Hsu, A.D. McClain, C.-P. Chou, S. Nguyen-Rodriguez, M.J. Weigensberg, M.I. Goran

3746 Association of hypoglycemic treatment regimens with cardiovascular outcomes in overweight and obese subjects with type 2 diabetes: a substudy of the SCOUT trial

A.A. Ghotbi, L. Køber, N. Finer, W.P.T. James, A.M. Sharma, I. Caterson, W. Coutinho, L.F. Van Gaal, C. Torp-Pedersen, C. Andersson

▶ **3754** Subarachnoid hemorrhage in type 1 diabetes: a prospective cohort study of 4,083 patients with diabetes

M. Korja, L.M. Thorn, S. Hägg, J. Putaala, R. Liebkind, V. Harjutsalo, C.M. Forsblom, D. Gordin, T. Tatlisumak, P.-H. Groop, on behalf of the FinnDiane Study Group

3759 HbA_{1c} and the risks for all-cause and cardiovascular mortality in the general Japanese population: NIPPON DATA90

M. Sakurai, S. Saitoh, K. Miura, H. Nakagawa, H. Ohnishi, H. Akasaka, A. Kadota, Y. Kita, T. Hayakawa, T. Ohkubo, A. Okayama, T. Okamura, H. Ueshima, for the NIPPON DATA90 Research Group

3766 Matrix Gla protein species and risk of cardiovascular events in type 2 diabetic patients

G.W. Dalmeijer, Y.T. van der Schouw, E.J. Magdeleyns, C. Vermeer, W.M.M. Verschuren, J.M.A. Boer, J.W.J. Beulens

3772 Prognostic impact of aortic stiffness in high-risk type 2 diabetic patients: the Rio de Janeiro Type 2 Diabetes Cohort Study

C.R.L. Cardoso, M.T. Ferreira, N.C. Leite, G.F. Salles

3779 Hepatic insulin clearance is closely related to metabolic syndrome components

O. Pivovarova, W. Bernigau, T. Bobbert, F. Isken, M. Möhlig, J. Spranger, M.O. Weickert, M. Osterhoff, A.F.H. Pfeiffer, N. Rudovich

3786 Long-lasting improvements in liver fat and metabolism despite body weight regain after dietary weight loss

S. Haufe, V. Haas, W. Utz, A.L. Birkenfeld, S. Jeran, J. Böhnke, A. Mähler, F.C. Luft, J. Schulz-Menger, M. Boschmann, J. Jordan, S. Engeli

3793 Intima-media thickness in severe obesity: links with BMI and metabolic status but not with systemic or adipose tissue inflammation

E. Dalmas, J.-F. Kahn, P. Giral, M. Abdennour, J.-L. Bouillot, S. Fellahi, J.-M. Oppert, K. Clément, M. Guerre-Millo, C. Poitou

3803 Mediterranean diet reduces the adverse effect of the TCF7L2-rs7903146 polymorphism on cardiovascular risk factors and stroke incidence: a randomized controlled trial in a high-cardiovascular-risk population

D. Corella, P. Carrasco, J.V. Sorli, R. Estruch, J. Rico-Sanz, M.Á. Martínez-González, J. Salas-Salvadó, M.I. Covas, O. Coltell, F. Arós, J. Lapetra, L. Serra-Majem, V. Ruiz-Gutiérrez, J. Warnberg, M. Fiol, X. Pintó, C. Ortega-Azorín, M.Á. Muñoz, J.A. Martínez, E. Gómez-Gracia, J.I. González, E. Ros, J.M. Ordovás

Novel Communications in Diabetes

3812 Prediction of retinopathy at 20 years after onset in younger-onset type 1 diabetes using mean metabolic memory-free HbA_{1c} values: the importance of using HbA_{1c} data of total, not partial, diabetes duration

A. Hirose, D. Furushima, N. Yamaguchi, S. Kitano, Y. Uchigata

3815 Increased complement activation in human type 1 diabetes pancreata

P. Rowe, C. Wasserfall, B. Croker, M. Campbell-Thompson, A. Pugliese, M. Atkinson, D. Schatz

3818 Expression of mesenchymal and α -cell phenotypic markers in islet β -cells in recently diagnosed diabetes

M.G. White, H.L. Marshall, R. Rigby, G.C. Huang, A. Amer, T. Booth, S. White, J.A.M. Shaw

Position Statement

3821 Nutrition therapy recommendations for the management of adults with diabetes

A.B. Evert, J.L. Boucher, M. Cypress, S.A. Dunbar, M.J. Franz, E.J. Mayer-Davis, J.J. Neumiller, R. Nwankwo, C.L. Verdi, P. Urbanski, W.S. Yancy Jr.

Review Article

3843 Barriers and potential solutions to providing optimal guideline-driven care to patients with diabetes in the U.S.

R.A. Vigersky, K. Fitzner, J. Levinson, for the Diabetes Working Group

Errata

3850 Cluster-randomized trial of a mobile phone personalized behavioral intervention for blood glucose control. *Diabetes Care* 2011;34:1934–1942

C.C. Quim, M.D. Shardell, M.L. Terrin, E.A. Barr, S.H. Ballew, A.L. Gruber-Baldini

3850 Increased risk of cognitive impairment in patients with diabetes is associated with metformin. *Diabetes Care* 2013;36:2981–2987

E.M. Moore, A.G. Mander, D. Ames, M.A. Kotowicz, R.P. Carne, H. Brodaty, M. Woodward, K. Boundy, K.A. Ellis, A.I. Bush, N.G. Faux, R. Martins, C. Szoek, C. Rowe, D.A. Watters, the AIBL Investigators

Issues and Events

3851

Online Letters: Observations

e187 Diagnosis of gestational diabetes mellitus: a different paradigm to consider

N. Manzoor, R.G. Moses

e188 Sharing insulin pens: are you putting patients at risk?

M.K. Schaefer, R.A. Kossover, J.F. Perz

Online Letters: Comments and Responses

e190 Comment on: Wing et al. Effect of intensive lifestyle intervention on sexual dysfunction in women with type 2 diabetes: results from an ancillary Look AHEAD study. *Diabetes Care* 2013;36:2937–2944

M.I. Maiorino, M. Petrizzo, G. Bellastella, K. Esposito

e191 Response to comment on: Wing et al. Effect of intensive lifestyle intervention on sexual dysfunction in women with type 2 diabetes: results from an ancillary Look AHEAD study. *Diabetes Care* 2013;36:2937–2944

R.R. Wing, D.S. Bond, I.N. Gendrano III, T. Wadden, J. Bahnson, C.E. Lewis, S. Schneider, A.E. Kitabchi, B. Van Dorsten, R.C. Rosen, the Sexual Dysfunction Subgroup of the Look AHEAD Research Group

e192 Comment on: Raz et al. Personalized management of hyperglycemia in type 2 diabetes: reflections from a *Diabetes Care* Editors' Expert Forum. *Diabetes Care* 2013;36:1779–1788
D. Giugliano, K. Esposito

**Diabetes Care is available online at
care.diabetesjournals.org.**



The American Diabetes Association (ADA) is the nation's leading voluntary health organization supporting diabetes research, information, and advocacy. Its mission is to prevent and cure diabetes and to improve the lives of all people affected by diabetes. ADA is the leading publisher of comprehensive diabetes information. Its huge library of books and periodicals covers every aspect of diabetes and diabetes care.

To join ADA: Call 1-800-806-7801 or visit www.diabetes.org/membership

To subscribe to ADA journals: Call 1-800-DIABETES or go to www.diabetesjournals.org

To order ADA books: Call 1-800-232-6733 or visit <http://store.diabetes.org>

To access ADA's library of professional resources: Go to professional.diabetes.org

For more information about diabetes or ADA programs and services: Call 1-800-DIABETES. E-mail: AskADA@diabetes.org or visit www.diabetes.org

To locate an ADA/NCQA Recognized Provider of quality diabetes care in your area: Visit <http://web.ncqa.org>

To join the fight to increase funding for diabetes research, end discrimination, and improve insurance coverage: Call 1-800-DIABETES or visit www.diabetes.org/advocate

To find out how you can get involved with the programs in your community: Call 1-800-DIABETES or visit www.diabetes.org/in-my-community

To find out about important research regarding diabetes: Go to www.diabetes.org/news-research

To make a donation or memorial contribution: Call 1-800-DIABETES or visit www.diabetes.org/donate