

Keep up with the latest information from *Diabetes Care* and other ADA titles via Facebook ([f/ADAJournals](https://www.facebook.com/ADAJournals)) and Twitter ([@ADA\\_Journals](https://twitter.com/ADA_Journals)).

All articles in *Diabetes Care* are available online at [care.diabetesjournals.org](http://care.diabetesjournals.org). Cover articles (▶) and ADA Statements are available free of charge. Each cover article is accompanied by a complementary slide set that includes a summary of the article's key points and conclusions as well as associated tables and figures. Other articles are available free to print subscribers or can be purchased as e-prints or reprints.

## In This Issue

2875

### Commentaries

**2877** Gestational diabetes mellitus: to screen or not to screen? Is this really still a question?

D. Simmons, R.G. Moses

**2879** Diagnosing gestational diabetes mellitus: rationed or rationally related to risk?

H.D. McIntyre

### Clinical Care/Education/Nutrition/Psychosocial Research

**2881** Validation of a pretransplant risk score for new-onset diabetes after kidney transplantation

H.A. Chakkerla, Y.-H. Chang, A. Ayub, T.A. Gonwa, E.J. Weil, W.C. Knowler

**2887** Intensive structured self-monitoring of blood glucose and glycemic control in noninsulin-treated type 2 diabetes: the PRISMA randomized trial

E. Bosi, M. Scavini, A. Ceriello, D. Cucinotta, A. Tiengo, R. Marino, E. Bonizzoni, F. Giorgino, on behalf of the PRISMA Study Group

**2895** Challenges to healthy eating for people with diabetes in a low-income, minority neighborhood

J.Y. Breland, L.M. McAndrew, R.L. Gross, H. Leventhal, C.R. Horowitz

**2902** Short sleep duration measured by wrist actimetry is associated with deteriorated glycemic control in type 1 diabetes

A.-L. Borel, J.-L. Pépin, L. Nasse, J.-P. Baguet, S. Netter, P.-Y. Benhamou

**2909** Reduced hypoglycemia and increased time in target using closed-loop insulin delivery during nights with or without antecedent afternoon exercise in type 1 diabetes

J.L. Sherr, E. Cengiz, C.C. Palerm, B. Clark, N. Kurtz, A. Roy, L. Carria, M. Cantwell, W.V. Tamborlane, S.A. Weinzierl

**2915** Characteristics associated with maintenance of mean A1C <6.5% in people with dysglycemia in the ORIGIN trial

The ORIGIN Trial Investigators

**2923** Dual peroxisome proliferator-activated receptor  $\alpha/\delta$  agonist GFT505 improves hepatic and peripheral insulin sensitivity in abdominally obese subjects

B. Cariou, R. Hanf, S. Lambert-Porcheron, Y. Zaïr, V. Sauvinet, B. Noël, L. Flet, H. Vidal, B. Staels, M. Laville

**2931** Ethnic differences in glycemic markers in patients with type 2 diabetes

B.H.R. Wolffenbittel, W.H. Herman, J.L. Gross, M. Dharmalingam, H.H. Jiang, D.S. Hardin

**2937** Effect of intensive lifestyle intervention on sexual dysfunction in women with type 2 diabetes: results from an ancillary Look AHEAD study

R.R. Wing, D.S. Bond, I.N. Gendrano III, T. Wadden, J. Bahnsen, C.E. Lewis, F. Brancati, S. Schneider, A.E. Kitabchi, B. Van Dorsten, R.C. Rosen, the Sexual Dysfunction Subgroup of the Look AHEAD Research Group

**2945** Efficacy and safety of lixisenatide once daily versus exenatide twice daily in type 2 diabetes inadequately controlled on metformin: a 24-week, randomized, open-label, active-controlled study (GetGoal-X)

J. Rosenstock, D. Raccach, L. Korányi, L. Maffei, G. Boka, P. Miossec, J.E. Gerich

▶ **2952** Infancy-onset dietary counseling of low-saturated-fat diet improves insulin sensitivity in healthy adolescents 15–20 years of age: the Special Turku Coronary Risk Factor Intervention Project (STRIP) study

O. Oranta, K. Pahkala, S. Ruottinen, H. Niinikoski, H. Lagström, J.S.A. Viikari, A. Jula, B.-M. Loo, O. Simell, T. Rönnemaa, O.T. Raitakari

**2960** Inpatient diabetes education is associated with less frequent hospital readmission among patients with poor glycemic control

S.J. Healy, D. Black, C. Harris, A. Lorenz, K.M. Dungan

**2968** Glycemic control and blood glucose monitoring over time in a sample of young Australians with type 1 diabetes: the role of personality

D. Waller, C. Johnston, L. Molyneaux, L. Brown-Singh, K. Hatherly, L. Smith, J. Overland

**2974** Type A behavior and risk of all-cause mortality, CAD, and CAD-related mortality in a type 1 diabetic population: 22 years of follow-up in the Pittsburgh Epidemiology of Diabetes Complications study

C.E. Fickley, C.E. Lloyd, T. Costacou, R.G. Miller, T.J. Orchard

**2981** Increased risk of cognitive impairment in patients with diabetes is associated with metformin

E.M. Moore, A.G. Mander, D. Ames, M.A. Kotowicz, R.P. Carne, H. Brodaty, M. Woodward, K. Boundy, K.A. Ellis, A.I. Bush, N.G. Faux, R. Martins, C. Szoeki, C. Rowe, D.A. Watters, the AIBL Investigators

### Epidemiology/Health Services Research

**2988** Fat distribution and glucose intolerance among Greenland Inuit

M.E. Jørgensen, K. Borch-Johnsen, R. Stolk, P. Bjerregaard

**2995** No racial differences in the association of glycosylated hemoglobin with kidney disease and cardiovascular outcomes

E. Selvin, A.M. Rawlings, R.M. Bergenstal, J. Coresh, F.L. Brancati

**3002** Estimating the population prevalence of diagnosed and undiagnosed diabetes

A. Leong, K. Dasgupta, J.-L. Chiasson, E. Rahme

**3009** Comorbid diabetes and COPD: impact of corticosteroid use on diabetes complications

G.E. Caughey, A.K. Preiss, A.I. Vitry, A.L. Gilbert, E.E. Roughead

**3015** Rapid increase in diabetes incidence among Chinese Canadians between 1996 and 2005

A. Alangh, M. Chiu, B.R. Shah

**3018** Association between metformin therapy and mortality after breast cancer: a population-based study

I.C. Lega, P.C. Austin, A. Gruneir, P.J. Goodwin, P.A. Rochon, L.L. Lipscombe

- 3027** Epidemiology and mortality of new-onset diabetes after dialysis: Taiwan national cohort study  
K.-J. Tien, Z.-Z. Lin, C.-C. Chio, J.-J. Wang, C.-C. Chu, Y.-M. Sun, W.-C. Kan, C.-C. Chien
- 3033** Race/ethnicity disparities in dysglycemia among U.S. women of childbearing age found mainly in the nonoverweight/nonobese  
J.A. Marcinkavage, C.J. Alverson, K.M.V. Narayan, H.S. Kahn, J. Ruben, A. Correa
- 3040** Applying current screening tools for gestational diabetes mellitus to a European population: is it time for change?  
G.E. Avalos, L.A. Owens, F. Dunne, for the ATLANTIC DIP Collaborators
- 3045** Sex-specific associations of gestational glucose tolerance with childhood body composition  
N. Regnault, M.W. Gillman, S.L. Rifas-Shiman, E. Eggleston, E. Oken
- 3054** Stratified patient-centered care in type 2 diabetes: a cluster-randomized, controlled clinical trial of effectiveness and cost-effectiveness  
A.S. Slingerland, W.H. Herman, W.K. Redekop, R.F. Dijkstra, J.W. Jukema, L.W. Niessen
- 3062** Combined heart rate- and accelerometer-assessed physical activity energy expenditure and associations with glucose homeostasis markers in a population at high risk of developing diabetes: the ADDITION-PRO study  
A.-L.S. Hansen, B. Carstensen, J.W. Helge, N.B. Johansen, B. Gram, J.S. Christiansen, S. Brage, T. Lauritzen, M.E. Jørgensen, M. Aadahl, D.R. Witte, ADDITION-Denmark Steering Committee
- 3070** Detection bias and overestimation of bladder cancer risk in type 2 diabetes: a matched cohort study  
I.N. Colmers, S.R. Majumdar, Y. Yasui, S.L. Bowker, C.A. Marra, J.A. Johnson
- 3076** Physical function limitations among middle-aged and older adults with prediabetes: one exercise prescription may not fit all  
P.G. Lee, C.T. Cigolle, J. Ha, L. Min, S.L. Murphy, C.S. Blaum, W.H. Herman
- 3084** Aldosterone, C-reactive protein, and plasma B-type natriuretic peptide are associated with the development of metabolic syndrome and longitudinal changes in metabolic syndrome components: findings from the Jackson Heart Study  
S.K. Musani, R.S. Vasan, A. Bidulescu, J. Liu, V. Xanthakis, M. Sims, R.K. Gawalapu, T.E. Samdarshi, M. Steffes, H.A. Taylor, E.R. Fox
- 3093** Food insecurity and metabolic control among U.S. adults with diabetes  
S.A. Berkowitz, T.P. Baggett, D.J. Wexler, K.W. Huskey, C.C. Wee
- 3100** Breakfast frequency and development of metabolic risk  
A.O. Odegaard, D.R. Jacobs Jr., L.M. Steffen, L. Van Horn, D.S. Ludwig, M.A. Pereira
- 3107** Mortality by race among low-income adults with early-onset insulin-treated diabetes  
B.N. Conway, T.A. Elasy, M.E. May, W.J. Blot
- 3113** Derivation and validation of a renal risk score for people with type 2 diabetes  
C.R. Elley, T. Robinson, S.A. Moyes, T. Kenealy, J. Collins, E. Robinson, B. Orr-Walker, P.L. Drury
- 3121** Genetically elevated fetuin-A levels, fasting glucose levels, and risk of type 2 diabetes: the Cardiovascular Health Study  
M.K. Jensen, T.M. Bartz, L. Djoussé, J.R. Kizer, S.J. Ziemann, E.B. Rimm, D.S. Siscovick, B.M. Psaty, J.H. Ix, K.J. Mukamal
- 3128** The importance of waist circumference and BMI for mortality risk in diabetic adults  
P.T. Katzmarzyk, G. Hu, W.T. Cefalu, E. Mire, C. Bouchard
- 3131** The long-term effects of type 1 diabetes treatment and complications on health-related quality of life: a 23-year follow-up of the Diabetes Control and Complications/Epidemiology of Diabetes Interventions and Complications cohort  
A.M. Jacobson, B.H. Braffett, P.A. Cleary, R.A. Gubitosi-Klug, M.E. Larkin, and the DCCT/EDIC Research Group
- ▶ **3139** Haptoglobin 1-1 genotype is associated with poorer cognitive functioning in the elderly with type 2 diabetes  
R. Ravona-Springer, A. Heymann, J. Schmeidler, E. Guerrero-Berroa, M. Sano, R. Preiss, K. Koifman, H. Hoffman, A. Levy, J.M. Silverman, M. Schnaider-Beeri
- 3146** The association of skin intrinsic fluorescence with type 1 diabetes complications in the DCCT/EDIC study  
T.J. Orchard, T.J. Lyons, P.A. Cleary, B.H. Braffett, J. Maynard, C. Cowie, R.A. Gubitosi-Klug, J. Way, K. Anderson, A. Barnie, S. Villavicencio, the DCCT/EDIC Research Group
- 3154** Sleep characteristics, mental health, and diabetes risk: a prospective study of U.S. military service members in the Millennium Cohort Study  
E.J. Boyko, A.D. Seelig, I.G. Jacobson, T.I. Hooper, B. Smith, T.C. Smith, N.F. Crum-Cianflone, for the Millennium Cohort Study Team
- 3162** Sex disparities in the quality of diabetes care: biological and cultural factors may play a different role for different outcomes: a cross-sectional observational study from the AMD Annals initiative  
M.C. Rossi, M.R. Cristofaro, S. Gentile, G. Lucisano, V. Manicardi, M.F. Mulas, A. Napoli, A. Nicolucci, F. Pellegrini, C. Suraci, C. Giorda, on behalf of the AMD Annals Study Group

## Emerging Technologies and Therapeutics

- 3169** Characterization of renal glucose reabsorption in response to dapagliflozin in healthy subjects and subjects with type 2 diabetes  
R.A. DeFronzo, M. Hompesch, S. Kasichayanula, X. Liu, Y. Hong, M. Pfister, L.A. Morrow, B.R. Leslie, D.W. Boulton, A. Ching, F.P. LaCreta, S.C. Griffen

## Pathophysiology/Complications

- 3177** The relationship between diabetic retinopathy and cognitive impairment  
R.R. Crosby-Nwaobi, S. Sivaprasad, S. Amiel, A. Forbes
- 3187** Early electrophysiological abnormalities and clinical neuropathy: a prospective study in patients with type 1 diabetes  
L. Hyllienmark, N. Alstrand, B. Jonsson, J. Ludvigsson, G. Cooray, J. Wahlberg-Topp
- 3195** Insulin resistance, incident cardiovascular diseases, and decreased kidney function among nondiabetic American Indians: the Strong Heart Study  
Y. Zhang, E.T. Lee, B.V. Howard, L.G. Best, J.G. Umans, J. Yeh, W. Wang, F. Yeh, T. Ali, R.B. Devereux, G. de Simone
- 3201** Copeptin, a surrogate marker for arginine vasopressin, is associated with cardiovascular and all-cause mortality in patients with type 2 diabetes (ZODIAC-31)  
I.J. Riphagen, W.E. Boertien, A. Alkhalaf, N. Kleefstra, R.T. Gansevoort, K.H. Groenier, K.J.J. van Hateren, J. Struck, G. Navis, H.J.G. Bilo, S.J.L. Bakker
- ▶ **3208** Impact of glycemic control strategies on the progression of diabetic peripheral neuropathy in the Bypass Angioplasty Revascularization Investigation 2 Diabetes (BARI 2D) cohort  
R. Pop-Busui, J. Lu, M.M. Brooks, S. Albert, A.D. Althouse, J. Escobedo, J. Green, P. Palumbo, B.A. Perkins, F. Whitehouse, T.L.Z. Jones, for the BARI 2D Study Group
- 3216** Adverse outcomes after noncardiac surgery in patients with diabetes: a nationwide population-based retrospective cohort study  
C.-C. Yeh, C.-C. Liao, Y.-C. Chang, L.-B. Jeng, H.-R. Yang, C.-C. Shih, T.-L. Chen

**3222** Sexual dysfunction as a marker of cardiovascular disease in males with 50 or more years of type 1 diabetes

S.J. Turek, S.M. Hastings, J.K. Sun, G.L. King, H.A. Keenan

**3227** Association between remission of macroalbuminuria and preservation of renal function in patients with type 2 diabetes with overt proteinuria

H. Yokoyama, S.-i. Araki, J. Honjo, S. Okizaki, D. Yamada, R. Shudo, H. Shimizu, H. Sone, T. Moriya, M. Haneda

**3234** Early progression of diabetic nephropathy correlates with methylglyoxal-derived advanced glycation end products

P.J. Beisswenger, S.K. Howell, G.B. Russell, M.E. Miller, S.S. Rich, M. Mauer

**3240** Acute hypoglycemia impairs executive cognitive function in adults with and without type 1 diabetes

A.J. Graveling, I.J. Deary, B.M. Frier

**3247** Association of glycation gap with mortality and vascular complications in diabetes

A.U. Nayak, A.M. Nevill, P. Bassett, B.M. Singh

## Cardiovascular and Metabolic Risk

**3254** Improved plasma FFA/insulin homeostasis is independently associated with improved glucose tolerance after a 1-year lifestyle intervention in viscerally obese men

A.-L. Borel, G. Boulet, J.-A. Nazare, J. Smith, N. Alm eras, A. Tremblay, J. Bergeron, P. Poirier, A.C. Carpentier, J.-P. Despr es

**3262** Three 15-min bouts of moderate postmeal walking significantly improves 24-h glycemic control in older people at risk for impaired glucose tolerance

L. DiPietro, A. Gribok, M.S. Stevens, L.F. Hamm, W. Rumlper

**3269** Favorable effects of insulin sensitizers pertinent to peripheral arterial disease in type 2 diabetes: results from the Bypass Angioplasty Revascularization Investigation 2 Diabetes (BARI 2D) trial

A.D. Althouse, J.D. Abbott, K. Sutton-Tyrrell, A.D. Forker, M.S. Lombardero, L.V. Buitr n, I. Pena-Sing, J.-C. Tardif, M.M. Brooks, for the BARI 2D Study Group

**3276** Benefits of liraglutide treatment in overweight and obese older individuals with prediabetes

S.H. Kim, F. Abbasi, C. Lamendola, A. Liu, D. Ariel, P. Schaaf, K. Grove, V. Tomasso, H. Ochoa, Y.V. Liu, Y.-D.I. Chen, G. Reaven

**3283** Inflammation and cognitive dysfunction in type 2 diabetic carotid endarterectomy patients

E.J. Heyer, J.L. Mergeche, S.S. Bruce, E.S. Connolly

**3287** Aggressive blood pressure control increases coronary heart disease risk among diabetic patients

W. Zhao, P.T. Katzmarzyk, R. Horswell, Y. Wang, W. Li, J. Johnson, S.B. Heymsfield, W.T. Cefalu, D.H. Ryan, G. Hu

▶ **3297** Clinical and economic benefits associated with the achievement of both HbA<sub>1c</sub> and LDL cholesterol goals in veterans with type 2 diabetes

L. Shi, X. Ye, M. Lu, E.Q. Wu, H. Sharma, D. Thomason, V.A. Fonseca

**3305** Categorical analysis of the impact of aerobic and resistance exercise training, alone and in combination, on cardiorespiratory fitness levels in patients with type 2 diabetes: results from the HART-D study

N.M. Johannsen, D.L. Swift, C.J. Lavie, C.P. Earnest, S.N. Blair, T.S. Church

**3313** Long-term fine particulate matter exposure and mortality from diabetes in Canada

R.D. Brook, S. Cakmak, M.C. Turner, J.R. Brook, D.L. Crouse, P.A. Peters, A. van Donkelaar, P.J. Villeneuve, O. Brion, M. Jerrett, R.V. Martin, S. Rajagopalan, M.S. Goldberg, C.A. Pope III, R.T. Burnett

**3321** Effects of a combined aerobic and resistance exercise program on C1q/TNF-related protein-3 (CTRP-3) and CTRP-5 levels

H.Y. Choi, J.W. Park, N. Lee, S.Y. Hwang, G.J. Cho, H.C. Hong, H.J. Yoo, T.G. Hwang, S.M. Kim, S.H. Baik, K.S. Park, B.-S. Youn, K.M. Choi

**3328** Stress-induced hyperglycemia after hip fracture and the increased risk of acute myocardial infarction in nondiabetic patients

Y. Chen, X. Yang, K. Meng, Z. Zeng, B. Ma, X. Liu, B. Qi, S. Cui, P. Cao, Y. Yang

## Novel Communications in Diabetes

**3333** The effect of exogenous glucose-dependent insulinotropic polypeptide in combination with glucagon-like peptide-1 on glycemia in the critically ill

M.Y. Lee, J.D. Fraser, M.J. Chapman, K. Sundararajan, M.M. Umaphysivam, M.J. Summers, A.V. Zaknic, C.K. Rayner, J.J. Meier, M. Horowitz, A.M. Deane

## Systematic Review

**3337** Antidepressant medication as a risk factor for type 2 diabetes and impaired glucose regulation: systematic review

K. Barnard, R.C. Peveler, R.I.G. Holt

## Meta-analyses

**3346** Secretion of glucose-dependent insulinotropic polypeptide in patients with type 2 diabetes: systematic review and meta-analysis of clinical studies

S. Calanna, M. Christensen, J.J. Holst, B. Laferr re, L.L. Gluud, T. Vilsb ll, F.K. Knop

**3353** Sleep-disordered breathing and gestational diabetes mellitus: a meta-analysis of 9,795 participants enrolled in epidemiological observational studies

M.A. Luque-Fernandez, P.A. Bain, B. Gelaye, S. Redline, M.A. Williams

## Point-Counterpoint

**3361** Validity of meta-analysis in diabetes: we need to be aware of its limitations

P.D. Home

**3368** Validity of meta-analysis in diabetes: meta-analysis is an indispensable tool in evidence synthesis

S.H. Golden, E.B. Bass

## Erratum

**3374** Improving diabetes care via telemedicine: lessons from the Addressing Diabetes in Tennessee (ADT) project. *Diabetes Care* 2011;34:e34

E.A. Nyenwe, S. Ashby, J. Tidwell, S.S. Nouer, A.E. Kitabchi

## Issues and Events

**3375**

## Online Letters: Observations

**e169** Twizzlers as a cost-effective and equivalent alternative to the glucola beverage in diabetes screening

D.A. Racusin, N.S. Crawford, S. Andrabi, M.A. Suter, H. Sangi-Haghpeykar, L. Showalter, S. Sharma, M. Haymond, K.M. Aagaard

**e171** Coadministration of liraglutide with tacrolimus in kidney transplant recipients: a case series

N.R. Pinelli, A. Patel, F.D. Salinitri

**e173** Pharmacokinetics of insulin aspart in pump-treated subjects with type 1 diabetes: reproducibility and effect of age, weight, and duration of diabetes

A. Haidar, D. Elleri, K. Kumareswaran, L. Leelarathna, J.M. Allen, K. Caldwell, H.R. Murphy, M.E. Wilinska, C.L. Acerini, M.L. Evans, D.B. Dunger, M. Nodale, R. Hovorka

**e175** Cyclical variation in HbA<sub>1c</sub> values during the year: clinical and research implications

N.R. Hill, C.J. Peters, R.J. Thompson, D.R. Matthews, P.C. Hindmarsh

**e177** Blood glucose responses to type, intensity, duration, and timing of exercise

S.R. Colberg, M.J. Hernandez, F. Shahzad

**e178** Functional and metabolic imaging of the cardiovascular system in young healthy South Asians and Caucasians unveils early differences

L.D. van Schinkel, L.E.H. Bakker, J.T. Jonker, A. de Roos, H. Pijl, A.E. Meinders, I.M. Jazet, J.W.A. Smit, H.J. Lamb

### Online Letters: Comments and Responses

**e180** Comment on: the ORIGIN trial investigators. Characteristics associated with maintenance of mean A1C <6.5% in people with dysglycemia in the ORIGIN trial. *Diabetes Care* 2013;36:2915–2922

K. Esposito, D. Giugliano

**e181** Response to comment on: the ORIGIN trial investigators. Characteristics associated with maintenance of mean A1C <6.5% in people with dysglycemia in the ORIGIN trial. *Diabetes Care* 2013;36:2915–2922

M.C. Riddle, H. Gerstein, for the ORIGIN Trial Investigators

**e182** Comment on: Chakkerla et al. Can new-onset diabetes after kidney transplant be prevented? *Diabetes Care* 2013;36:1406–1412

M. Hecking, A. Sharif, F.K. Port, M.D. Säemann

**e183** Response to comment on: Chakkerla et al. Can new-onset diabetes after kidney transplant be prevented? *Diabetes Care* 2013;36:1406–1412

H.A. Chakkerla, P.-T. Pham, J. Pomeroy, E.J. Weil, W.C. Knowler

**e184** Comment on: Lin et al. Long-term changes in adiposity and glycemic control are associated with past adenovirus infection. *Diabetes Care* 2013;36:701–707

G.M. Trovato, D. Catalano, G.F. Martines, F.M. Trovato

**e185** Comment on: Tran et al. Early prediction of gestational diabetes mellitus in Vietnam: clinical impact of currently recommended diagnostic criteria. *Diabetes Care* 2013;36:618–624

Y. Gupta, A. Gupta

**e186** Comment on: Tsiakou et al. Arterial stiffness is inversely related to plasma adiponectin levels in young normotensive patients with type 1 diabetes. *Diabetes Care* 2013;36:734–736

H. Hamasaki, H. Yanai

**Diabetes Care is available online at  
[care.diabetesjournals.org](http://care.diabetesjournals.org).**



The American Diabetes Association (ADA) is the nation's leading voluntary health organization supporting diabetes research, information, and advocacy. Its mission is to prevent and cure diabetes and to improve the lives of all people affected by diabetes. ADA is the leading publisher of comprehensive diabetes information. Its huge library of books and periodicals covers every aspect of diabetes and diabetes care.

**To join ADA:** Call 1-800-806-7801 or visit [www.diabetes.org/membership](http://www.diabetes.org/membership)

**To subscribe to ADA journals:** Call 1-800-DIABETES or go to [www.diabetesjournals.org](http://www.diabetesjournals.org)

**To order ADA books:** Call 1-800-232-6733 or visit <http://store.diabetes.org>

**To access ADA's library of professional resources:** Go to [professional.diabetes.org](http://professional.diabetes.org)

**For more information about diabetes or ADA programs and services:** Call 1-800-DIABETES. E-mail: [AskADA@diabetes.org](mailto:AskADA@diabetes.org) or visit [www.diabetes.org](http://www.diabetes.org)

**To locate an ADA/NCQA Recognized Provider of quality diabetes care in your area:** Visit <http://web.ncqa.org>

**To join the fight to increase funding for diabetes research, end discrimination, and improve insurance coverage:** Call 1-800-DIABETES or visit [www.diabetes.org/advocate](http://www.diabetes.org/advocate)

**To find out how you can get involved with the programs in your community:** Call 1-800-DIABETES or visit [www.diabetes.org/in-my-community](http://www.diabetes.org/in-my-community)

**To find out about important research regarding diabetes:** Go to [www.diabetes.org/news-research](http://www.diabetes.org/news-research)

**To make a donation or memorial contribution:** Call 1-800-DIABETES or visit [www.diabetes.org/donate](http://www.diabetes.org/donate)