



Erratum

Erratum. Sitagliptin Attenuates the Progression of Carotid Intima-Media Thickening in Insulin-Treated Patients With Type 2 Diabetes: The Sitagliptin Preventive Study of Intima-Media Thickness Evaluation (SPIKE). A Randomized Controlled Trial. *Diabetes Care* 2016;39:455–464

<https://doi.org/10.2337/dc17-er06a>

In the Research Design and Methods section of the article mentioned above, the measurement of carotid intima-media thickness (IMT) was described as follows: “The software system averages 60 points of IMT values in the segment 2 cm proximal to the dilation of the carotid bulb (mean-IMT-CCA).” The sentence should read: “The software system averages ~200 points of IMT values in the segment 2 cm proximal to the dilation of the carotid bulb (mean-IMT-CCA).”

The authors believe that this correction will not affect the results obtained in the study, and they regret the error.

The online version of the article has been corrected.

Tomoya Mita, Naoto Katakami, Toshihiko Shiraiwa, Hidenori Yoshii, Tomio Onuma, Nobuichi Kuribayashi, Takeshi Osonoi, Hideaki Kaneto, Keisuke Kosugi, Yutaka Umayahara, Tsunehiko Yamamoto, Kazunari Matsumoto, Hiroki Yokoyama, Mamiko Tsugawa, Masahiko Goshō, Iichiro Shimomura, and Hirotaka Watada, on behalf of the Collaborators on the Sitagliptin Preventive Study of Intima-Media Thickness Evaluation (SPIKE) Trial